

DETAIL SPECIFICATION

HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE,  
HIGH TEMPERATURE, MEDIUM PRESSURE  
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-DTL-25579F, dated 25 September 2003

SPECIFICATION SHEETS

- MIL-DTL-25579/1 - Hose Assembly Length Measurement for NAS 1760 and MS8000 Series Seal, (Globe Seal, or Radius Seal) to Flareless Fitting End Design.
- MS8000 - Hose Assembly, Polyetrafluoroethylene, Reusable Fittings, High Temperature, Medium Pressure, Flare-to-Flare.
- MS8001 - Hose Assembly, Polyetrafluoroethylene, Reusable Fittings, High Temperature, Medium Pressure, Flareless-to-Flareless.
- MS8002 - Hose Assembly, Polyetrafluoroethylene, Reusable Fittings, High Temperature, Medium Pressure, Flare-to-Flange.
- MS8003 - Hose Assembly, Polyetrafluoroethylene, Reusable Fittings, High Temperature, Medium Pressure, Flareless-to-Flange.
- MS8004 - Hose Assembly, Polyetrafluoroethylene, Reusable Fittings, High Temperature, Medium Pressure, Flange-to-Flange.
- MS8005 - Hose Assembly, Polyetrafluoroethylene, Permanently Attached Fittings, High Temperature, Medium Pressure, Flare-to-Flare.
- MS8006 - Hose Assembly, Polyetrafluoroethylene, Permanently Attached Fittings, High Temperature, Medium Pressure, Flareless-to-Flareless.
- MS8007 - Hose Assembly, Polyetrafluoroethylene, Permanently Attached Fittings, High Temperature, Medium Pressure, Flare-to-Flange.
- MS8008 - Hose Assembly, Polyetrafluoroethylene, Permanently Attached Fittings, High Temperature, Medium Pressure, Flareless-to-Flange.
- MS8009 - Hose Assembly, Polyetrafluoroethylene, Permanently Attached Fittings, High Temperature, Medium Pressure, Flange-to-Flange.

CONCLUDING MATERIAL

Custodians:  
Army - AV  
Navy - AS  
Air Force - 99  
DLA - CC

Preparing activity:  
DLA - CC  
  
(Project 4720-0369-000)

Review activities:  
Army - AR, AT, EA, MI  
Navy - MC, SA, SH  
Air Force - 71