

DETAIL SPECIFICATION

CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK,
HIGH DENSITY, SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-DTL-28840D, dated 7 November 2013.

DETAIL SPECIFICATION SHEETS:

MIL-DTL-28840/1	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Clamps, Strain Relief, Straight, Open, for Electrical Connectors.
MIL-DTL-28840/2	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Clamps, Strain Relief, 90°, Open, for Electrical Connectors.
MIL-DTL-28840/3	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Clamps, Strain Relief, 45°, Open, for Electrical Connectors.
MIL-DTL-28840/4	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Metal Conduit for EMI Shielding.
MIL-DTL-28840/5	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, Straight, Metal Conduit for EMI Shielding.
MIL-DTL-28840/6	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, Straight, Cable Sealing and Shield Termination.
MIL-DTL-28840/7	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Dummy Receptacle, Wall Mounting.
MIL-DTL-28840/8	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, 90°, Cable Sealing and Shield Termination.
MIL-DTL-28840/9	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, 45° Cable Sealing and Shield Termination.
MIL-DTL-28840/10	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Wall Mounting, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/11	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Cable Connecting, Classes D, DS, P, T, TS, Z, and ZS.

MIL-DTL-28840D
SUPPLEMENT 1

MIL-DTL-28840/12	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Box Mounting, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/13	Connectors, Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Protective Cover, Receptacle.
MIL-DTL-28840/14	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Jam Nut Mounting, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/15	Connectors, Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Protective Cover, Plug.
MIL-DTL-28840/16	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/17	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/18	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, 90°, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/19	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, 45°, Classes D, DS, P, T, TS, Z, and ZS.
MIL-DTL-28840/20	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Wall Mounting Assembly, Straight, Classes DJ, DJS, PJ, TJ, TJS, ZJ, and ZJS.
MIL-DTL-28840/21	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Cable Connecting Assembly, Straight, Classes DJ, DJS, PJ, TJ, TJS, ZJ, and ZJS.
MIL-DTL-28840/22	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Metal Conduit Bushing.
MIL-DTL-28840/23	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, Gland Nut, Wiring.
MIL-DTL-28840/24	Connectors, Electrical, Circular, Gasket, Flange Mounting, Fluorosilicone and EMI Shielding (for MIL-DTL-28840).
MIL-DTL-28840/25	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, 90°, Metal Conduit for EMI Shielding.
MIL-DTL-28840/26	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug Assembly, Straight, Classes DJ, DJS, PJ, TJ, TJS, ZJ, and ZJS.

MIL-DTL-28840D
SUPPLEMENT 1

MIL-DTL-28840/27	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, 45°, Metal Conduit for EMI Shielding.
MIL-DTL-28840/28	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug Assembly, 90°, Classes DJ, DJS, PJ, TJ, TJS, ZJ, and ZJS.
MIL-DTL-28840/29	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Crimp Contacts, Plug, Assembly, 45°, Classes DJ, DJS, PJ, TJ, TJS, ZJ, and ZJS.
MIL-DTL-28840/30	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Metal Conduit Coupling.

CONCLUDING MATERIAL

Custodians:

Army – AT
Navy – EC
Air Force - 85
DLA – CC

Preparing activity:

DLA - CC

(Project 5935-2013-098)

Review activities:

Army – AV, MI
Navy - OS, SH, YD
Air Force - 99

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.