

MILITARY SPECIFICATION
FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND
CLAMP-HALVES,
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-F-52525D, dated 30 June 1987.

SPECIFICATION SHEETS

MIL-F-52525/1

- Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, Straight, for use with Type 100R2 Double Wire Braid Hose.

MIL-F-52525/2

- Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 45° Bent Tube, for use with Type 100R2 Double Wire Braid Hose.

MIL-F-52525/3

- Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, Short Drop, for use with Type 100R2 Double Wire Braid Hose.

FSC 4730

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-F-52525D
SUPPLEMENT 1

- MIL-F-52525/4 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, Long Drop, for use with Type 100R2 Double Wire Braid Hose.
- MIL-F-52525/5 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, Straight, for use with Type 100R1 Single Wire Braid Hose.
- MIL-F-52525/6 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 45° Bent Tube, for use with Type 100R1 Single Wire Braid Hose.
- MIL-F-52525/7 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, Short Drop, for use with Type 100R1 Single Wire Braid Hose.
- MIL-F-52525/8 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, Long Drop, for use with Type 100R2 Single Wire Braid Hose.
- MIL-F-52525/9 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, Straight, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/10 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-bolt Split-Flange, Straight, for use with Type 100R2 Double Wire Braid Hose.
- MIL-F-52525/11 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-bolt Split-Flange, 45° Bent Tube, for use with Type 100R2 Double Wire Braid Hose.

MIL-F-52525D
SUPPLEMENT 1

- MIL-F-52525/12 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 90° Bent Tube, for use with Type 100R2 Double Wire Braid Hose.
- MIL-F-52525/13 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, Straight, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/14 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 45° Bent Tube, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/15 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 90° Bent Tube, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/16 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Clamp-Halves for 4-Bolt Split-Flange Fitting.
- MIL-F-52525/17 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Flange to Port Connections for 4-Bolt Split-Flange Type Fittings.
- MIL-F-52525/18 - Canceled.
- MIL-F-52525/19 - Canceled.
- MIL-F-52525/20 - Canceled.
- MIL-F-52525/21 - Canceled.
- MIL-F-52525/22 - Canceled.

MIL-F-52525D
SUPPLEMENT 1

- MIL-F-52525/23 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Clamp-On to 4-Bolt, Split-Flange, Straight, Adapter, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/24 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Clamp-On to 4-Bolt, Split-Flange, 45° Bent Tube, Elbow, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/25 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Clamp-On to 4-Bolt, Split-Flange, 90° Bent Tube, Short Drop, Elbow, for use with Type 100R10 4-Spiral Wrap Hose.
- MIL-F-52525/26 - Canceled.
- MIL-F-52525/27 - Canceled.
- MIL-F-52525/28 - Canceled.
- MIL-F-52525/29 - Canceled.
- MIL-F-52525/30 - Canceled.
- MIL-F-52525/31 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, Straight, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/32 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 45° Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/33 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.

MIL-F-52525D
SUPPLEMENT 1

- MIL-F-52525/34 - Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, Straight, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/35 - Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 45° Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/36 - Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 90° Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/37 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, Straight, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/38 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 45° Bent Tube, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/39 - Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37° Flare Female Swivel, 90° Bent Tube, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.
- MIL-F-52525/40 - Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, Straight, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.

MIL-F-52525D
SUPPLEMENT 1

MIL-F-52525/41

- Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 45° Bent Tube, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.

MIL-F-52525/42

- Fittings, Wire Reinforced Hydraulic Hose and Clamp Halves: Field Attachable (Reusable), Screw-on to 4-Bolt Split-Flange, 90° Bent Tube, for use with Type 100R12 Four-Spiral-Wrap Reinforcement Hose.

Preparing Activity:

Army - ME

Project 4730-0501