

INCH-POUND

MIL-C-55365C
AMENDMENT 2
5 March 1993
SUPERSEDING
AMENDMENT 1
25 July 1992

MILITARY SPECIFICATION

CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP
ESTABLISHED RELIABILITY,

GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-C-55365C, dated
23 August 1990, and is approved for use by all
Departments and Agencies of the Department of Defense.

PAGE 2

* 1.2.1,3, Add the following: "All termination finishes except B shall have a barrier metal. The barrier metal for termination finish B shall be at the option of the manufacturer."

PAGE 19

TABLE VII: Delete footnote 1/ and the reference thereto in its entirety.

PAGE 21

4.6.1.2.5.1, Line 2: Delete "4.6.1.1" and substitute "4.6.1.1.1".

PAGE 22

4.6.1.3.1, Line 2: Delete "2" and substitute "3".

4.6.1.3.1, Line 5: Delete "month" and substitute "three-month period".

PAGE 23

TABLE X, Number of failures allowed column: Delete "1" for subgroup III and extend the bracket for 1 failure allowed for subgroups I and II to include subgroup III.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notation and relationship to the last previous issue.

AMSC N/A

1 of 2

FSC 5910

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-C-55365C
AMENDMENT 2

CONCLUDING MATERIAL

Custodians:

Army - ER
Navy - EC
Air Force - 85

Review activities:

Army - MI
Navy - SH
Air Force - 17, 99
NASA - NA
DLA - ES

User activities:

Army - AR
Navy - AS, CG, MC, OS
Air Force - 19

Preparing activity:

Army - ER

Agent:

DLA - ES

(Project 5910-1842)