CHANGE NOTICES ARE NOT
CUMULATIVE AND SHALL BE
RETAINED UNTIL SUCH TIME
AS THE STANDARD IS REVISED

FED-STD-793
CHANGE NOTICE 1
JANUARY 27, 1987

# FEDERAL STANDARD

## DEPOT STORAGE STANDARDS

The following changes which form a part of FED-STD-793, dated October 30, 1985 are approved by the Commissioner, Federal Supply Service, General Services Administration for all Federal Agencies.

PAGE 1

Delete Paragraph 3.2 and substitute:

3.2 Shelf-Life Extension Criteria. The material being inspected/tested shall be sampled as specified in 3.1. Each sample shall be inspected/tested as specified in the appropriate appendix (see 4.3). For items not listed in the appendices, contact the technical support activity responsible for the item (see 4.2). The material will be considered suitable for issue and the shelf-life extended if the number of defects does not meet or exceed the rejection number for the Acceptable Quality Level specified. If the rejection number is reached or exceeded, the item is not suitable for issue and the lot shall be excessed.

3.2.1 Length of shelf-life extension. When the shelf-life of an item is extended, the new reinspection date will be determined by adding one-half of the item's stated shelf-life to the month in which the item is reinspected. Any extension period containing a fraction of a month shall be rounded up to the next larger period of whole months.

3.2.2 Maximum time the shelf-life can be extended. Unless otherwise specified in the appropriate appendix, at the wholesale depot level, the reinspection date of type II (extendible) shelf-life items in FSG 80 may not be extended beyond the date determined by adding 2 times the item's stated shelf-life to the date of manufacture. Example: a paint in FSC 8010 with a date of manufacture 5-85 and a shelf-life code of 4 (1 year) may not have its reinspection date extended beyond 5-87. Unless otherwise specified in the appropriate appendix, at the wholesale depot level, the reinspection date of type II (extendible) shelf-life items in other FSG's may not be extended beyond the date determined by adding 3 times the item's stated shelf-life to the date of manufacture.



Source: https://assist.dla.mil -- Downloaded: 2016-12-01T07:21Z
Check the source to verify that this is the current version before use.

Delete Paragraph 4.2 and substitute:

4.2 List of GSA technical support activities by FSC responsibility.

| FSC | Symbol | | Address |
|---|---|---|---|
| 4210 | 7FXE | 2FYE: | GSA-FSS |
| 4240 | 7FXE | | Office Supplies and Paper |
| 5610 | 7FXE | | Products Commodity Center |
| 5640 | 7FXE | | ATTN: 2FYE |
| 5970 | 7FXE | | 26 Federal Plaza |
| 6135 | 7FXE | | New York, NY 10278 |
| 6630 | FCGC | | TEL (212)264-3500 |
| 6750 | FCGC | | |
| 6810 | 10FTE | 7FXE: | GSA-FSS |
| 6840 | 10FTE | | General Products Commodity |
| 6850 | 10FTE | | Center |
| 7510 | 2FYE | | ATTN: 7FXE |
| 7520 | 2FYE | | 819 Taylor Street |
| 7530 | 2FYE | | Fort Worth, TX 76102 |
| 7540 | 2FYE | | TEL (817)334-4420 |
| 7930 | 10FTE | | |
| 8010 | 10FTE | 10FTE: | GSA-FSS |
| 8030 | 10FTE | | Paints and Chemicals |
| 8040 | 10FTE | | Commodity Center |
| 8105 | 2FYE | | ATTN: 10FTE |
| 8135 | 2FYE | | GSA Center |
| 8415 | 7FXE | | Auburn, WA 98001 |
| 8520 | 10FTE | | TEL (206)931-7192 |
| 8540 | 2FYE | | |
| 8710 | 7FXE | FCGC: | GSA-FSS |
| 9310 | 2FYE | | Office and Scientific Equip- |
| 9320 | 7FXE | | ment Commodity Center |
| 9330 | 7FXE | | ATTN: FCGC |
| 9390 | 7FXE | | Crystal Mall Building # 4 |
| 9905 | 7FXE | | Washington, DC 20406 |
| 9920 | 7FXE | | TEL (202)557-0536 |



Source: https://assist.dla.mil -- Downloaded: 2016-12-01T07:21Z
Check the source to verify that this is the current version before use.

APPENDIX S - PAGE 2

Change the storage temperature range for all NSN's under MIL-P-15931 to 40 - 100 degrees F (4.4 - 38 degrees C).

APPENDIX Z - PAGE 1

Line 1: After "UU-T-591" add ", A-A-696".

Add the following NSN'S: "8540-00-291-0389, 8540-00-291-0390, and 8540-00-291-0392".



Source: https://assist.dla.mil -- Downloaded: 2016-12-01T07:21Z
Check the source to verify that this is the current version before use.